



Distributors of Hardware to the Window, Door & Glazing Industry

June – July 2014 Promotions

Warming Winter Specials

See inside for details

Go into the draw to

Win!

Lockwood Racing Merchandise



ASSA ABLOY



See
Page 9
for details



DOW CORNING

BONUS OFFER

FREE iPad

With any pallet purchase

See Page 4 for further details



17-19 Merchant Avenue, Thomastown Victoria, Australia 3074
Tel (03) 9464 3002 Fax (03) 9464 3004 Email sales@igsau.com www.igsau.com



NEW Visibility Plus Insect Screening



The new Cyclone Visibility Plus insect screening is designed for screening windows and doors where excellent visibility and airflow are required.

This innovative new screening variety offers 15% more visibility than standard fibreglass insect screening, allowing excellent outward viewing.

Visibility Plus also provides 15% better air flow than standard fibreglass for additional comfort in the home. Sizes available: 910mm width x 30m length or 1220mm width x 30m length.

The new Cyclone UV Guard 90 insect screening is designed for screening windows and doors where extra protection from the sun's harsh UV rays is required.

Featuring double-stranded fibreglass for increased shading coverage, this high quality insect screening product provides approximately 90% UV blockage to suit today's climatic conditions. Sizes available: 910mm width x 15m length or 1220mm width x 15m length.

NEW UV Guard 90 Insect Screening



BONUS T-Shirt

Purchase 8 rolls of high quality Cyclone insect screening, in any assortment, and receive your FREE T shirt.

Choose from Fibreglass, Duraview, Miniweave, Pet Mesh, Aluminium, Tufflite, Tuffscreen, Stainless Steel, Bronze, Enclosure Plus as well as the newly released Visibility Plus and UV Guard 90 screening products.



NEW Insect Screening Brochures


The latest brochures from Cyclone provide more information on the new Visibility Plus and UV Guard 90 screening products.



Please visit the Cyclone website at www.cyclone.com.au for more information on the Cyclone range.



The **NEW AUTO LOUVE** the next generation in Louvre windows automation




- Operates up to 26 Louvre blades off a single motor
- Compatible with commercial building management system
- Couples with commercial shopfront systems
- Compatible with 100mm sub head and sub sill
- Can be used with glass, timber and aluminium louvre blades in
- Suitable for use with 102mm or 152mm Diamond Louvre Galleries
- Sold as an easy to assemble CKD kit



RP89 - 1000mm

**Buy 8
Get 2
FREE**





A rigid & flexible copolymer, Weather and Energy Seal. Raven RP89 suits leading proprietary brand, hollow channel aluminium door suites. Concealed in the bottom of Aluminium butt hinged doors or the bottom and head of pivot doors, RP89's unique design accommodates factory and retrofit applications.

When used in conjunction with a Raven threshold plate an excellent weather and energy seal is achieved.

Fixing method

Snap fit includes two end support lugs with self drill screws. (supplied)



DOW CORNING

Glazing & Structural Silicone



688

- Neutral cure silicone.
- Excellent for general glazing.
- 100% Silicone (no fillers).
- Compatible with IGU units.
- Architectural Grade Silicone.
- Meets stringent International Standards.
- Cartridge and Sausage packaging available.
- Backed by 10 Year written warranty.
- **Colours Available:** Black, Clear, Light Grey, White.



795

- Good adhesive qualities as well as good quality sealing.
- Used for structural Glazing.
- 100% Silicone (no fillers).
- Architectural Grade Silicone.
- Meets stringent International Standards.
- Cartridge and Sausage packaging available.
- Backed by 10 Year written warranty.
- **Colours Available:** Black.



791

- Neutral cure silicone.
- Used in curtain walling & building facades.
- Good in extreme weather conditions.
- Anti-Fungal properties.
- 100% Silicone (no fillers).
- Architectural Grade Silicone.
- Meets stringent International Standards.
- Cartridge and Sausage packaging available.
- Backed by 10 Year written warranty.
- **Colours Available:** Black, Light Grey, White.



995

- Strong adhesive qualities as well as good quality sealing.
- Used for structural Glazing.
- 100% Silicone (no fillers).
- Architectural Grade Silicone.
- Meets stringent International Standards.
- Cartridge and Sausage packaging available.
- Backed by 10 Year written warranty.
- **Colours Available:** Black.



Dow Corning BONUS OFFER

With any pallet purchase of Dow Corning 688,791,795 silicone, you will receive a FREE iPad with 16GB. 1728 cartridges to a pallet or 880 sausages to a pallet. Mixed pallets are available, please contact IGS for further details.

DC-688***	Dow Corning 688 Silicone (24ctn) 300ml Cartridge - Colour
DC-791***	Dow Corning 791 Silicone (24ctn) 300ml Cartridge - Colour
DC-795***	Dow Corning 795 Silicone (12ctn) 305ml Cartridge - Colour
DC-995***	Dow Corning 995 Silicone (12ctn) 305ml Cartridge - Colour

THE ONLY TOOLS YOU NEED

THEY SEAL. THEY BOND. IN ALL WEATHER AND EVEN UNDERWATER!

'Now available in CLEAR'

- Bonds & Seals underwater
- Highly flexible seal
- Superior bond strength
- Environmentally friendly
- Low VOC
- Exterior and interior applications
- Water Potable to AS/NZS 4020

Bostik
Stranger Bonds, Better Life

UNDER WATER

GLAZED SURFACES & MIRRORS

FOAM POLYSTYRENE

EXPANSION JOINTS

GUTTERS & ROOF TILES

WINDOW FRAMES

RIGID PVC & DOWN PIPES

Weatherfold 4s Window 25

Brio Weatherfold 4s Window is designed for exterior folding windows in residential and light commercial applications with up to 6 panels folding in each direction. The new hardware has been upgraded to carry wider and heavier window sashes of up to 1000mm, weighing 25kg each.

This is made possible by the new recessed bottom guide system. The guide system not only provides stability for folding up to 12 window sashes, its concealed low profile design and excellent weatherproofing capabilities make it an ideal option for window sills. Designed with convenience and durability in mind, the new guide system is also incredibly easy to install and maintain.

Brio Weatherfold 4s Window 25 utilises the same technology as the Weatherfold 4s door system, but on a smaller scale. Clean lines, smooth operation and flexible functionality make the systems suitable for many applications with a wide range of configurations.

Like with any Brio product, aside from looking stylish, this hardware system is built to last. We offer a 10-year warranty on all Weatherfold 4s Window 25 hardware.

As an international leader in hardware design and quality, Brio is proud to offer its customers this new range of innovative products. **Brio - where ideas unfold.**

D2550UNIV

\$89.95
MOQ x 10

- Adjustable 1-4 Strength
- Complete with Parallel Fittings
- 1.5 hour Fire Rated
- Back Check
- 2 Speed Closing
- 2100x1200mm Internal Door
- 2100x950mm External Door
- 85kg Capacity

1.5h

RYOBI

BOX LOTS ONLY!

D3550DABCS

\$74.95
MOQ x 6

- Adjustable 1-6 Strength
- Complete with Parallel Fittings
- 4.0 hour Fire Rated
- Back Check
- Delayed Action
- 2 Speed Closing
- 2100x1500mm Internal Door
- 2100x1400mm External Door
- 150kg Capacity

4.0h

Hold open and slide arm options are available – contact IGS for a quote

Horse Shoe Packers

Bucket contains

- 20 x 10mm x 75/90/140mm
- 20 x 6.4mm x 75mm
- 20 x 5mm x 75/90/140mm
- 20 x 3.2mm x 75mm
- 20 x 1.5mm x 75 mm
- 20 x 1mm x 90/140mm

Part number:
IGS-CWPBBMB



Special Price
\$69.95
per bucket

Introductory product to the IGS range Swing Door and Sliding Door Mortice Locks

- Italian made and designed
- Stainless steel face plates and strikes STD
- Adjustable strike box for the sliding door lock also available
- Available in 25/30/35mm back sets
- Fits in a 40mm standard rail
- Backed by a 10 year warranty

Contact IGS for a super deal
bulk buy rates also available



ISEO

GWA COC transom closers

Limited stock available

5 year mechanical warranty.



80JF52272232105	RT852 90H O SIZE 2 80KG	\$89.95
80JF52272230105	RT852 NON H O SIZE 2 80KG	\$89.95
80JF53222232105	RT853 90H O SIZE 3 100KG	\$89.95

Smart Edge Blades Pack of 100 blades

- Buy minimum of 10 packets @ \$7.95 per pkt
- Buy minimum of 50 packets @ \$4.99 per pkt



Part number SB-61-109

Dorma Fast Fix Kinked stainless steel hinges with screws

Special Purchase

- Buy a minimum of 100 @ **\$2.15 per hinge**
- Buy a minimum of 500 @ **\$1.95 per hinge**



DORMA

Part number
DO-H10712504101

Sterling Tool Bag

IGS-SB-TOOLB



SMART CHOICE

**10m x 25mm
Double Stop
Tape Measure**
\$19.95

IGS- SB -TC1025

Elevation Window Control System

Take the worry out of protecting what's valuable to you.



Win!

Lockwood Racing Merchandise



Elevation Electric Window Actuator

Lockwood's Elevation® is an Electric Window Control System designed to control your windows with a touch of a button. Elevation can be configured to reflect the unique layout of any home or commercial building but is primarily used to control windows that are hard-to-reach. Elevation is a flexible solution that will suit multiple window systems² and applications.

Window actuators can be installed in pairs that will cater for windows up to 2400mm wide or for heavier double glazed window systems.

Elevation allows for a generous window opening, but can be easily restricted to conform with the BCA requirements.

Window actuators can be connected to a Lockwood touch screen display and Zones, such as lounge, hall, bedroom, North and east facing can be easily set up.

Alternatively you can also choose to control your windows with a standard wall switch or via any 3rd party Cbus or Building management system.



Elevation Touch Screen Display

The Lockwood Elevation™ touch screen display is an elegant Touch pad that's been designed to control up to 31 Elevation window actuators. The touch pad can be programmed to open individual or groups of windows. You also have the option to name your windows or groups from a predefined list suitable for commercial or residential applications.

Window positions can be controlled to: open, close, move to a 50% or a venting position. The status of your window positions can be viewed at a glance throughout your building.

Touch Screen Display Features

- 3.5" colour Touch Screen Display
- 30 predefined window and group names
- 2 button touch, to control a window
- Live status of window position
- Instantly open or close all windows
- Pin code lockout option
- Synchronize an additional touch pad to the network
- Window obstruction status and warnings



Purchase any box quantities of **Lockwood Arrow Door Closers**



Go into the draw to WIN Lockwood Racing Merchandise



ARROW MODEL	DESCRIPTION	Box Qty	LIST PRICE
LW-A300-STSil	SIZE 3 STANDARD DOOR CLOSER	4	\$24.95 each
LW-A400-STSil	SIZE 4 STANDARD DOOR CLOSER	4	
LW-A500-STSil	SIZE 5 STANDARD DOOR CLOSER	4	

LW-A300-OPSIL	SIZE 2 PUSH SIDE DOOR CLOSER	4	\$28.95 each
LW-A400-OPSIL	SIZE 3 PUSH SIDE DOOR CLOSER	4	
LW-A500-OPSIL	SIZE 4 PUSH SIDE DOOR CLOSER	4	



Limited stock available – get in early, sorry no rain checks

SS7000DSGA or SS7000DSPA



N9917DSGA or N9917DSPA



SS10000DSPA



N7010DPA



Anthony Innovations have a rolling solution for your large panel needs

- For timber sliding doors
- All stainless steel components
- Panel weights up to 200kg
- Cycle tested to 50,000 cycles
- Available with stainless steel or engineered plastic tyres

- For aluminium sliding doors
- Anti-corrosive components,
- Panel weights up to 200kg
- Cycle tested to 100,000 cycles
- Wheel protection shroud
- Available with stainless steel or engineered plastic tyres

- For aluminium or timber sliding doors
- Anti-corrosive components,
- Panel weights up to 400kg
- Cycle tested to 50,000 cycles
- Wheel protection shroud
- Features engineered plastic tyres

- For timber sliding doors
- Panel weights up to 200kg
- Cycle tested to 50,000 cycles
- Zinc-diecast body for high strength and wheel protection
- Features engineered plastic tyres

BUILDING TRUST



SIKA HYFLEX-250

HIGH PERFORMANCE
WEATHERPROOFING
FACADE SEALANT

Green Star Compliant

Odourless and Very Low VOC

Over paintable

Excellent weathering and ageing
resistance

Bubble free curing

Movement Capability +100/-50%
(ASTM C 719)

Low Modulus

Conforms to international
Standards

NEW
PRODUCT

Powered by
i-Cure®
Technology



Super Red Hot Deals on Vestibule Kits



- Double Cylinder
- Cylinder and Turn
- Cylinder and Escape

All in 23 / 30 / 60mm
bracket locks



Prices
start from
\$139.95

Please contact IGS for further details

**Your entrance should be a feature
with practical "Keyless" functionality.**



**KEYLESS
SNIB
LOCK
OPTION
for practical daily use**



43888KIT
Stainless steel handle
Back to back (500mm / 25x50mm)
(includes accessories below)

myLOCK - The all in one, **integrated** latch/privacy/dead bolt entrance high security lock

Designer Integration & Practical Functionality
for simple every day use without the need for a key.



49217

integrated high security keyed dead lock
with **key less** snib locking and roller latching



49144

65mm double euro
cylinder with 2 keys



43736

slim line integrated square
key less snib and escutcheon set.



www.austyle.com.au

Terms & Conditions

All items that appear in the brochure are on sale while stocks last, pricing is only valid during the promotion months of June-July 2014 as stated on front page. IGS reserves the right to remove any item or adjust any pricing without notification should any unforeseen



circumstances occur. All prices are exclusive of GST. Please allow 28 days from the end of the promotional period for any Bonus!!! sale items to be supplied in full. *Some BONUS!!! items may differ from images displayed and are subject to availability.