

May - June - July 2015

WINTER SPECIALS ARE COMING!

See inside for details

Distributors of Hardware to the Window, Door & Glazing Industry











































Description

The Lockwood 8653D Sliding Patio Handle Door incorporates Lockwood's advanced safety and security features, DualSelect and LockAlert which makes it ideal for residential applications where security and safety are a paramount priority.

Application

The 8653D Handle is designed for Sliding Patio Door's that allow for the incorporation of a Single point Mortice Lock up to 30mm in door width.



Kinetic Defence® Bump and pick resistant.



DualSelect®

Turn the key for safety mode. Turn the key further to select secure mode.

Features and Specifications

- 2 stage key locking, offers safety and security for all occupants by giving a choice of selecting privacy lock or deadlock when exiting the home
- Turning the key to the first selection engages the privacy lock, this offers security from the outside whilst allowing occupants inside to safely exit using the internal lever
- Turning the key to the second selection engages the deadlock, this provides internal and external security, and requires the key to unlock the door from inside and outside
- Zinc diecast lock mechanism and furniture
- Accepts Lockwood Euro profile lazy cam cylinder
- Available in Trade Pack Only.

Latch Self latching with stainless steel parrot beak deadlatch Morticed Patio Door handle kit with large ergonomic snibs to assist with operation. Dual Select and Lock Alert features included also. Dimensions 25mm and 30mm Aluminium door thicknessess Handing Suits left or right handed sliding Patio doors Finishes Black (BLK)


Note: Safety mode: (Privacy-lock / Snibbed) Secure mode: (Deadlock).


Keying

- Use with Lockwood Euro profile lazy cam cylinder (shown below)
- 2 x 5 pin cylinder
- Can be keyed alike to other Lockwood door and window products.



SP8653-01





Top View





Interior Indicator shows lock

status at a glance.



Safety Mode

Securely locked from outside and free from inside.



Secure Mode

Securely locked from both inside and outside. For when nobody is home.



Passage Mode

Free to enter from outside and free to exit from inside.

Buy 10 or More Sets and receive






CODE	DESCRIPTION
LW-3582KIT01	Lockwood Synergy Kit 3582 Furniture - Double Cylinder
LW-3582KIT04	Lockwood Synergy Kit 3582 Furniture - Cylinder & Turn
LW-3582KIT05	Lockwood Synergy Kit 3582 Furniture - Escape
LW-3P82KIT01	Lockwood Synergy Kit 3P82 Furniture - Double Cylinder
LW-3P82KIT04	Lockwood Synergy Kit 3P82 Furniture - Cylinder & Turn
LW-3P82KIT05	Lockwood Synergy Kit 3P82 Furniture - Escape

RAVEN WOOLPILE – RUNOUT STOCK!

CODE	DESCRIPTION
RP-B0670400ECBS	Raven Pile Weather Stripping 6.7mm x 4.0mm x 650m with Fin - Black
RP-B0480850EGS	Raven Pile Weather Stripping 4.8mm x 8.5mm x 400m with Fin - Grey
RP-B0480650EGS	Raven Pile Weather Stripping 4.8mm x 6.5mm x 600m - Grey
RP-B0670600EGS	Raven Pile Weather Stripping 6.7mm x 6.0mm x 400m with Fin - Grey
RP-B0671275ECB	Raven Pile Weather Stripping 6.7mm x 12.75mm x 175m - Black
RP-B0670750ECBS	Raven Pile Weather Stripping 6.7mm x 7.5mm x 350m with Fin - Black
RP-B0671275EB	Raven Pile Weather Stripping 6.7mm x 12.75mm x 175m - Black
RP-B0480300EG	Raven Pile Weather Stripping 4.8mm x 3.0mm x 800m - Black











Sika Bulk Buys 2 Great Giveaways!



PURCHASE:

5 x Boxes (100 Sausages)
Sikaflex Pro Sausages



> RECEIVE:

1 x WT250XL Sika Sausage Gun



PURCHASE:

1 x Pallet (800 Sausages) Sikaflex Pro Sausages

Contact IGS for further details



> RECEIVE:

1 x Milwaukee Battery Sausage Gun





Innovation & since Consistency 1910

Briton



376E Series




The Briton 376E Series is an economical range of push bar devices designed to suit single and double door applications. The 376E Series can be used on aluminium, hollow metal or wood swinging commercial doors. Available as rim and surface mounted vertical panic bolt devices.

Each model in the 376E Series is operated by a horizontal push bar, which when pushed in a downward arc withdraws either the bolts or latch, releasing the door for immediate escape in the event of an emergency.

Features

- Tested up to 600,000 cycles providing durability for everyday use
- Designed to operate at low forces to ensure that minimum force is required to withdraw latch or bolts
- Field sizeable to accommodate a range of door openings
- Optional dogging function available which allows the latch or bolts to be held in the withdrawn position
- Optional models available include pullman latches and alarm function
- Optional external trims available for key access
- 379 mortice latch designed to be used in conjunction with a Legge 990MF mortice lock (ordered separately)
- The 10 year warranty provides specifiers and users with assured quality and performance

379E Mortice Panic Night Latch | Features



- Designed to be used in conjunction with a Legge
 990MF mortice lock (ordered separately)
- Suitable for all types of single doors
- Supplied right handed, but can be handed on site
- Suitable for use on the first opening leaf in double door application

Specifications

Door type	Timber or metal	
Stile width	100mm minimum	
Door width	665mm to 1300mm	
Material	Zinc die cast chassis. Steel crossbars	
Finish	Silver enamel	
Warranty	10 year mechanical	

Panic Exit Devices Now Available

Please contact IGS for further details









ZIGS WINTER SPECIALS ARE COMIN



Green Grippa Gloves

Box Lots of 120 Pairs

(Mixed Sizes of Large and Medium available)

Box + GST Yellow 100% seamless polyester cotton lining

- Green latex crinkle finish coating provides superior wet and dry grip
- Ergonomic design
- Extremely durable

Product Code:

Recommended for: Construction & Timber Industry, Glass & Sheet Metal Industry.

IGS-GGL106-L IGS-GGL106-M

(120 x prs large) (120 x prs Medium) IGS-GGL106-LM (Mixed Box 60 x Large /

60 x Medium)

Glass Cleaner

Available in 1, 5, 10 & 20 Litres



*All prices are ex- GST

Buy 24 x 1Ltr bottles and get your company details **FREE on the Bottles**

per bottle

Product Code: PCP-MIRRORIMAGE1 \$5.50 + GST per bottle

Code	Description	Price
PCP-MIRRORIMAGE5	Glass Cleaner 5Ltr bottle	\$15.50 _{+ GST}
PCP-MIRRORIMAGE20	Glass Cleaner 20Ltr bottle	\$55.95 _{+ GST}



Structural Tape



Code	Description	Price 10+ Rolls
V2104-0012	Thermalbond Glazing Tape Double Sided 12mm x 3.2 x 15.2M	\$ 24 .50 + GST
V2106-0012	Thermalbond Glazing Tape Double Sided 12mm x 4.8 x 15.2M	\$29 ^{.95} + GST
V2108-0012	Thermalbond Glazing Tape Double Sided 12mm x 6.4 x 15.2M	\$ 29 .95 + GST

Single Edge Smart Blades





Double Sided Mirror Tape



Code	Description	Box Quantity
BL-1607H-0018	Foamlink 1607H+ Double Sided Mirror Tape 18mm x 1.6mm x 33M	17
BL-1607H-0024	Foamlink 1607H+ Double Sided Mirror Tape 24mm x 1.6mm x 33M	13

Box Qty Prices


18mm = **\$16.50** + GST each

24mm = \$19.95 + GST each









Brio® Open Round Rail Timber

With easy installation and exposed rail design, the versatile Brio Open Round Rail Timber is suitable for timber panels in the home or office. The sealed precision bearing and nylon inlaid tyre ensure the 304 stainless steel rollers will operate smoothly and quietly for years to come.

A brushed stainless steel round rail centralises the panel while concealing the support brackets. Heavy duty door stops and an array of bottom guide options make the Brio Open Round Rail Timber practical for any application for panels up to 100kg.



Brio® Open Round Rail Glass


Frameless glass panels create a timeless style suited to today's minimalist trend. Whether in an office space or bathroom suite, Brio Open Round Rail Glass will enhance the minimalist appearance with 304 stainless steel strap fixings and exposed rail design.

The universal stainless steel guide makes this system suitable for toughened glass panels of 8, 10 and 12mm thick, up to a capacity of 100kg. The brushed stainless steel round rail and sealed precision bearing with nylon inlaid tyre will perform effortlessly every time.


Brio® Open Square Rail Timber

The heavy duty industrial appearance of the Brio Open Square Rail Timber will suit any contemporary interior and with capacity of 150kg panels at 2m wide, the system is sure to impress. Exposed precision bearings and 304 stainless steel strap fixings offer a unique industrial aesthetic which is in high demand for residential and commercial applications.

A multitude of guides will allow these large panels to operate with or without a floor channel and so interiors are enhanced with uninterrupted flooring. Long life cycle and quality performance are assured with this new and robust system whether used in a rustic interior or modern workplace.













PROMOTION Cyclone Bonus Cap

Cyclone is offering a fantastic bonus cap promotion for this quarter: For every 5 rolls purchased of quality Cyclone Insect Screening (in any assortment), you will receive a FREE cap, as pictured.

This promotion applies to purchases of Cyclone, Fibreglass, Duraview, Miniweave, Pet Mesh, Aluminium, Tufflite, Tuffscreen, Stainless Steel, Bronze, Enclosure Plus, Visibility Plus and UV Guard 90.

This quality cap will feature both Cyclone and IGS logos. (The IGS logo will be on the back of cap).

Enclosure Plus Insect Screening

Cyclone's premium quality Enclosure Plus insect screening is now available in the popular widths of 910mm and 1220mm. Both new width options are offered in 30 metre length rolls.

Manufactured from high-strength vinyl-coated polyester, Cyclone Enclosure Plus is the perfect choice for screening patios, verandahs, pool enclosures and entertainment areas as well as many other residential and commercial applications.

The weave structure offers great protection against pests and insects, whilst also allowing impressive visibility and airflow through the screen. Other sizes available in the range: $2140 \, \text{mm} \times 30 \, \text{m}$, $2440 \, \text{mm} \times 30 \, \text{m}$ and $3050 \, \text{mm} \times 30 \, \text{m}$



Pet Mesh Insect Screening

Featuring heavy gauge polyester material, Pet Mesh is an ideal choice for screening windows and doors where pets' claws are a problem.

Pet Mesh is flexible and pliable for easy installation and is an ideal screening variety where extra strength is needed.



UV Guard Insect Screening

The new Cyclone UV Guard 90 insect screening is designed for screening windows and doors where extra protection from the sun's harsh UV rays is required.

Featuring double-stranded fibreglass for increased shading coverage, this high quality insect screening product provides approximately 90% UV blockage to suit today's climatic conditions. Sizes available: 910mm width x 15m length or 1220mm width x 15m length.



Visibility Plus Insect Screening

The new Cyclone Visibility Plus insect screening is designed for screening windows and doors where excellent visibility and airflow are required.

This innovative new screening variety offers 15% more visibility than standard fibreglass insect screening, allowing excellent outward viewing.

Visibility Plus also provides 15% better airflow than standard fibreglass for additional comfort in the home. Sizes available: 910 mm width x 30 m length or 1220 mm width x 30 m length.



Standard

Parallel 60 Series





receive
5% discount
off our
regular price

Box Quantity Discount Buy 10 per box

CODE	DESCRIPTION	DOOR WEIGHT
RY-62S	Ryobi Surface Mount Door Closer with Standard Arm	45KG
RY-63S	Ryobi Surface Mount Door Closer with Standard Arm	60KG
RY-63S	Ryobi Surface Mount Door Closer with Standard Arm	75KG
RY-62PS	Ryobi Surface Mount Door Closer with Parallel Arm	45KG
RY-63PS	Ryobi Surface Mount Door Closer with Parallel Arm	60KG
RY-64PS	Ryobi Surface Mount Door Closer with Parallel Arm	75KG

D3550 Series

- Adjustable 2-6 Strength
- Delayed Action
- Internal Door Size 2100 x 1500
- External Door Size 2100 x 1400
- 150KG Door



CODE	DESCRIPTION	DOOR WEIGHT
RY-DS3550DA	Ryobi Surface Mount Door Closer with Standard Hold Arm	150KG
RY-DS3550PDA	Ryobi Surface Mount Door Closer with Standard Parallel Hold Arm	150KG







Tandem Sliding Door Rollers S7000 / SS7000 Series



supports door weight up to 200kg | plastic wheels resist track wear | reduced noise | smoother operation

S7000

The S7000 series is the latest edition of rollers on offer for the timber door market. Built with high grade sealed precision bearings, these rollers are manufactured to go the distance. This improved design offers less rolling resistance which results in effortless operation.



- Industry leading bearing design.
- Adjustable under load.

SS7000

The SS7000 series is the latest edition of rollers on offer for the timber door market. Built with high grade sealed precision bearings, these rollers are manufactured to go the distance. The improved design offers less rolling resistance which results in effortless operation. With all stainless components this product provides the ultimate corrosion resistance.

- Industry leading bearing design.
- Stainless Steel components.
- Adjustable under load.
- Top mounting spacer blocks optional.

